



## TOWN OF GUILDERLAND

Guilderland Town Hall  
P.O. Box 339, Route 20  
Guilderland, N.Y. 12084

Building Department  
Ph: 356-1980  
www.townofguilderland.org

### FINISHED BASEMENT CHECKLIST

PLANS SHOULD INCLUDE THE FOLLOWING INFORMATION AS APPLICABLE  
CODE SECTIONS ARE CITED FOR CONVENIENCE AND CAN BE VIEWED  
AT THE [ICC Digital Codes](#) WEBSITE

- All habitable rooms (rooms intended for living or sleeping) shall have a window area that is at least 8% of the floor area **OR** the artificial light in the rooms must produce 6 footcandles of illumination.  
*NYS Residential Code 303.1*
- Habitable rooms shall have a floor area of at least 70sf.  
*NYS Residential Code 304.1*
- Habitable rooms shall be at least 7ft wide and 7ft deep.  
*NYS Residential Code 304.2*
- Habitable rooms shall have a ceiling height of at least 7ft above the finish floor.  
*NYS Residential Code 305.1*
- An emergency escape opening shall be provided that is at least 5.7sf in area, at least 24" in height and at least 20" in width.  
*NYS Residential Code 310.2.1*
- If the emergency escape opening is a window, the sill height shall not exceed 44in above the floor. If the sill height is below the level of grade, a window well shall be provided.  
*NYS Residential Code 310.2.2*
- If a window well is provided that is deeper than 44", a permanent ladder or steps shall be provided that can be used when the window is fully open.  
*NYS Residential Code 310.2.3.1*

**\*Please also provide information regarding construction materials in accordance with page 4 of the Building Permit Application including but not limited to: framing materials, plumbing materials if applicable, insulation materials, and finishes\***